

## Fences

(Sec. 31-856 of the Code of Ordinances )



### Wood, PVC, Stone, Brick:

- For property abutting public right-of-way: the smooth, finished side faces outward with support posts on the inside.
- Max Height Side & Rear Yard: 8 Feet
- Max Height Front Yard: 4 Feet
- Gate Opening: Minimum 3 Feet in width
- Brick or Stone fences over 4' tall requires engineered structural drawings.



### Wrought Iron:

- Max Height Side & Rear Yard: 8 Feet
- Max Height Front Yard: 6 Feet
- Fence columns shall not exceed twelve (12) inches above overall height of fence.
- Gate Opening: Minimum 3 Feet in width



### Chain-Link:

- Maximum Height Back Yard: 6 Feet
- Maximum Height Front Yard: 4 Feet
- Gate Opening: Minimum 3 Feet in width

**A building permit is required to erect a new fence or move, repair or replace an existing fence where the repair is more than 25% of an existing fence or in a 12 month period or a building material change.**

## CITY OF KILLEEN

### BUILDING INSPECTIONS

**Open: M-F 8:00 am - 5:00 pm**

**[buildingpermits@killeentexas.gov](mailto:buildingpermits@killeentexas.gov)**

**Main Line: (254) 501-7762**

**Inspection Hotline: 501-7766**

*It is the Building Inspection Division's mission to administer the building and development codes, and to facilitate orderly development of the City of Killeen.*

*Where a conflict exists between the information given in this brochure and the City Ordinance, the City Ordinance shall prevail.*

*This is brochure is a highlight of some of the building codes and is not complete. Please visit <http://www.killeentexas.gov/27/Government> To review the complete Code of Ordinances*

## Fences, Sheds and Accessory Structures



## City of Killeen Building Inspections

100 E Avenue C  
Killeen, TX 76541  
**(254) 501-7762**

**[www.killeentexas.gov](http://www.killeentexas.gov)**

